« Comelit

DOOR ENTRY SYSTEMS MINI HANDSFREE $1/5 \xrightarrow{} \text{overview}$



6722W

MINI HANDSFREE BM MONITOR, VIP



AWARDS





6722W

| MAIN SPECIFICATIONS | |
|--|-----------|
| Audio system: | No |
| Audio/video system: | Yes |
| Flush-mounted: | No |
| Wall-mounted: | Yes |
| Desk base-mounted: | Yes |
| Hands-free function: | Yes |
| Induction loop function: | Yes |
| Type of display: | LCD |
| Display size (inches): | 4,3" 16:9 |
| Touch screen display: | Yes |
| Display resolution (H x V): | 480x272 |
| B/W or colour display: | Color |
| Product colour: | White |
| Sensitive Touch technology: | Yes |
| Total buttons: | 8 |
| LED signaling (No.): | 4 |
| Wi-Fi Port: | No |
| Comaptibility with Video Entry Comelit App : | No |

| FUNCTIONS | |
|-----------------------------|-----|
| Actuator control function: | Yes |
| Self-ignition: | Yes |
| Switchboard call function: | Yes |
| Panic call: | Yes |
| Intercom function: | Yes |
| Selective intercom call: | Yes |
| Call to multiple addresses: | Yes |
| Call to group addresses: | Yes |
| Call forwarding: | Yes |
| Privacy function: | Yes |
| Doctor: | Yes |
| Floor door call function: | Yes |
| Electronic bell: | Yes |
| Customisable ringtone: | Yes |
| Viewer energy consumption: | Yes |
| Alarm function: | Yes |
| Receiving text messages: | Yes |
| Images reception: | Yes |
| Sending emails on event: | Yes |



6722W

| SETTINGS | |
|-----------------------------|-----|
| Loudspeaker volume control: | Yes |
| Ringtone volume control: | Yes |
| Backlighting display: | Yes |

| GENERAL DATA | |
|-------------------------|------|
| Product height (inch): | 6.3 |
| Product width (inch): | 4.53 |
| Product depth (inches): | 0.87 |

| COMPATIBILITY | |
|---------------|-----|
| Vip system: | Yes |

| TECHNICAL SPECIFICATIONS | |
|--------------------------------|--------------|
| Power supply voltage: | 36 ÷ 57 |
| POE power supply: | Yes |
| IP Rating: | IP30 |
| Operating temperature (°F): | 41 ÷ 104 |
| RH max operating humidity (%): | 25 ÷ 75 |
| Video encoding: | H.264 |
| Product weight (oz): | 1.19 |
| Clamps: | -IN1 IN2 IN3 |
| Network connection: | RJ45 |



6722W

| ACCESSORIES | | |
|-------------|--------|--|
| | 6710 | BACKPLATE AND DISTRIBUTION TERMINAL FOR MINI MONITOR Wall-mounting or residential series box backplate for MINI monitor, /BM versions with handset featuring magnetic induction for hearing aid wearers. Also includes riser distribution terminal Art. 1214/2C. Dimensions 145x100x4 mm. |
| | 6711WV | ADAPTER PLATE FOR MINI HANDSFREE |
| | 6720 | BRCKT FOR ROUTING EXT. CABLES. HANDSFREE MINI MON. Wall support bracket for handsfree Mini monitor allowing thru-routing of external cables. Dimensions:106.3x149.60x19mm. |
| | 6720V | Bracket for routing Mini HF ViP external cables Wall bracket for ViP system hands-free Mini monitor; allows through-routing of external cables. |
| | 6732 | DESK BASE FOR HANDSFREE MINI MONITOR Desk base for desktop conversion of Handsfree Mini monitor. Complete with 1x 2 metre cable with RJ45 connector to connect monitor terminals to the coupler or domestic series socket. Dimensions: 140x190x140mm. |
| | 6732A | DESK BASE FOR MINI HF SBC MONITOR |

C-= 1 2 3 4 5 1%



6722W

| ACCESSORIES | | |
|-------------|-------|--|
| | 6732V | Desk base for Mini HF ViP monitor Desk base for desktop conversion of ViP system hands-free Mini monitor. Complete with 1x 2 metre cable with RJ45 connector to connect monitor terminals to the coupler or residential series socket. |
| | 6734W | ADD. BUTTONS KIT HANDS-FREE MINI MONITOR, WHITE Accessory for conversion of the monitors of the Mini series Art 6721W and 6721W/BM into 8-button versions. Includes an 8-button faceplate and an electronic module for button activation, which can be installed quickly without the need to open the monitor casing. |