

DH-CA-FW171D

600TVL Waterproof IR Camera



Model

DH-CA-FW171DP: 600TVL, IR LED, IP66, PAL

DH-CA-FW171DN: 600TVL, IR LED, IP66, NTSC

Features


- > 1/3" HDIS
- > High resolution of 600TVL(Color)
- > Mini. Illumination of 0.1Lux@F1.2, 0Lux(IR On)
- > AGC, ATW, BLC
- > Optional Lens: default: 6mm (3.6mm, 8mm optional)
- > Max. IR distance is 50m
- > IP66, DC12V

DH-CA-FW171D

Specifications

Model	DH-CA-FW171DP		DH-CA-FW171DN
Camera			
Image Sensor	1/3" HDIS		
Video Format	PAL	NTSC	
Effective Pixels	720(H)×480(V)		
Horizontal Resolution	Color: 600TVL		
Mini. Illumination	0.1Lux@F1.2(0Lux IR LED on)		
Electronic Shutter	Auto: 1/50s~1/100,000s	Auto: 1/60s~1/100,000s	
AGC	Auto		
Day/Night	Auto		
White Balance	ATW		
Backlight	BLC		
Synchronization	Internal		
S/N Ratio	>60dB(AGC Off)		
Video Output	1Vp-p Composite Output (75Ω/BNC)		
Lens			
Focal Length	Default: 6mm (3.6mm, 8mm optional)		
Lens Type	Manual		
General			
Ingress Protection	IP 66		
IR Distance	Max. 50m		
Power Supply	DC12V±10%		
Power Consumption	Max 6W		
Working Temperature	-40℃~+60℃		
Dimension	200.2mm x 89.1mm x 80.4mm		
Weight	450g		

Dimensions (mm)



DH-CA-FW171D

Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.

© 2012 Dahua Technology Co., Ltd.