

DSS Professional

Highly Available Security System for Enterprises

A person is shown from the side, sitting at a desk in a dimly lit room. They are looking at two computer monitors. The monitor on the left displays a complex interface with various panels and data. The monitor on the right displays a grid of seven colored squares (blue, red, teal, purple, green, etc.) with abstract patterns inside. The person is holding a smartphone to their ear with their right hand. The overall atmosphere is professional and tech-oriented.


V8.8.0

■ Introduction

Dahua Security System (DSS) Professional is designed for centralized security management. Powered by high-performance hardware, it delivers centralized video monitoring, access control, video intercom, alarm management, and POS record search, and boosts efficiency with AI capabilities such as face recognition, license plate recognition, and video metadata analysis.

Whether you are a small business with a handful of cameras, or a global enterprise managing over 20,000 cameras, DSS Professional scales to meet your needs. You can easily expand, upgrade or add functionalities to DSS Professional as requirements evolve. Build your security management system on a solid, reliable foundation with DSS Professional.

■ Features



Scalable Design, Easy to Grow

With distributed deployment, you can easily expand the supported channels to 20,000 and central storage capacity to 4 PB. The multi-site capability incorporates multiple DSS platforms into one, letting you manage and view all sites from one DSS client. You can access live and recorded videos, real-time and historical events, and much more.



AI-Powered Applications, Proactive Security

DSS Professional integrates the AI capabilities of connected devices, including face recognition, automatic number plate recognition, and video metadata analysis. When a person, vehicle, or other target of interest is detected, the system sends instant alarms, so you or security personnel can respond quickly and take appropriate action.



Highly Available Technology, More Stable


With hot standby and N+M redundancy, DSS Professional ensures continuous, uninterrupted operation even in the event of server failures.



Customized Services, Enhanced Competitiveness

We offer services to integrate and customize DSS Professional into your own platform, ensuring it fully suits your needs and gives you a competitive edge in the market.

■ System Architecture



■ Main Functions

Monitoring Center

◆ Live View

With its easy-to-use live view, you can both customize and control how you view videos in real time. The layout can also be configured to display videos in different sizes, enabling you to prioritize important areas by placing them in larger windows.

You can also remotely control certain devices to perform various actions such as talking to people through the camera, operating IP speakers (talk, broadcast, play audio, and adjust the volume), viewing dewarped live view from fisheye cameras, and unlocking turnstiles to grant access.

Visual tracking lets you follow a target across different areas or locations, without losing sight of the target, as long as the places that the target passes through are covered by the associated cameras.

With AcuPick, the platform automatically recognizes different types of objects in the video, then you can select a target, and quickly locate it in DeepXplore.

If an emergency occurs, manual recording is just a click away, so that you can quickly save the relevant footage as evidence.

◆ Playback

The playback function allows you to play recorded videos stored on the server and devices in multiple windows. Playback speed is highly flexible. You can play fast-forward up to 64X to skip irrelevant parts, or slow down to 1/64X to focus on important moments. You can also jump to the previous or next video clip of the most recent time to track the event with reduced effort.

To control the data in the videos, you can add tags to mark relevant content, and lock clips to prevent them from being overwritten when storage is full. The filtering function lets you narrow results by video type or target type, so you can quickly find and handle only the footage you need.

◆ Video Wall

Video wall is used to display videos on a large screen that consists of many smaller screens. Highly customizable, it supports not only flexible layouts, but also display of live and recorded videos, so you can focus on important details in the video. Also, you can use tasks to schedule videos from different channels appear on the video wall at specified times or run on a continuous loop.

◆ Map

The map provides an intuitive way to track devices and events by location. Device icons on the map flash red when an alarm is triggered, instantly showing the event location. You can add submaps for different areas. For example, a plan view of a public square can be added to a map to pinpoint the positions of people within that square.

◆ Group Talk

The real-time locations of mobile devices are shown on the map, enabling dispatchers to quickly deploy officers and resources in response to incidents such as a burglar or duress alarm in a building. Dispatchers can initiate group talks to speak directly with personnel assigned to the incident, providing live instructions and coordinating actions for faster, safer response.

◆ AR

AR combines AI overlays with seamless target tracking to boost situational awareness. It provides panoramic views and simplifies the task of tagging targets on the video image using intuitive tag templates, allowing fast categorization of surveillance targets, such as critical locations (hospitals, road junctions, and more). You can also customize your preferences, such as marking tags as favorites or prioritizing them, to tailor your monitoring workflow.

DeepXplore

Powered by AI technology, you can easily search for targets, look for their historical records, and even generate movement tracks, so you can observe their whereabouts through setting simple search conditions. To gain an overview on targets, you can organize their information into a case and generate a report. Also, the WizSeek function enhances precision by letting you combine text with search conditions, so you can pinpoint specific targets more efficiently.

Event Management

The event center supports monitoring and handling over 200 types of alarms while continuously generating statistics. To give you a clear picture of what is happening in your area, the alarm center also shows metrics like total alarms processed and the most frequently triggered alarm types. The system is flexible. You can choose from predefined alarm types, or create custom alarm types to match your workflows. You can also manually trigger alarms to take snapshots and send email notifications, so that important events get immediate attention.

Maintenance Center

A unified dashboard gives you a single-pane view of alerts, devices, servers, and more, so you can instantly spot issues like offline devices or abnormal servers. In maintenance center, you can configure switches, view network topology, and manage device details. Scheduled reports are also sent based on the collected information to give you a full picture of how your system is running. Updating is also a breeze, as you can easily update multiple devices in batches when new versions are available.

Access Management

◆ **Access Control**

Control doors and lifts across multiple zones using a zone-based management model. Each zone maintains a map for quick location of access points, and a unified access panel lets you monitor and operate door and lift channels across zones in real time. You can create flexible access rules to grant or deny access efficiently, allowing secure access control.

◆ **Attendance**

The attendance function delivers complete attendance management by supporting attendance point and rule configuration. Also, you can quickly search for attendance records, view daily details, and generate customizable statistical reports. Attendance rectification and scheduled exports ensure data integrity, providing faster and more reliable attendance tracking and reporting that scales with your organization.

◆ **Video Intercom**

All video intercom devices can be managed directly through a single, intuitive interface that supports two-way communication and remote access control. Through this interface, you can secure access to your premises, and receive calls and emergency reports directly from on-site personnel. Building management is also very convenient, as you can send group notifications to all indoor monitors, keeping people informed of important events, such as scheduled power outages.

◆ **Visitor**

DSS Professional offers a full visitor management process, covering from appointment and registration to access permission granting and automatic permission revocation once a visit ends. A complete, detailed record of all visits is available for your review at any time.

Intelligent Analysis

To boost your profitability and enhance your service offerings, the platform provides valuable insights into on-premises people information through advanced intelligent analysis and heat map generation. It allows you to track the number of people in an area at any given time, identify high-frequency hotspots, pinpoint the exact times when people counts reach the peak, empowering data-driven decisions to optimize operations.

Parking Lot Management

You can manage your parking operations from a single platform. You can remotely manage devices in your parking lots, such as parking space detectors and ANPR cameras, and guide vehicles with real-time occupancy data. The visualization function makes it easier for you to drag and drop devices on the visual map of your parking lots. When drivers are leaving, a vehicle search feature with fuzzy matching speeds up plate lookup even with partial information.

The platform supports scenarios without barriers for smooth navigation for drivers, and lets you reset available parking spaces to ensure accuracy of your parking occupancy information. It delivers entry and exit statistics on a clear dashboard, with automatic report export for easy sharing, so you can monitor performance, optimize throughput, and improve the driver experience across your parking lots.

The platform also transforms your parking operation with a powerful and flexible parking fee solution. It supports creating customizable fee policies for registered and unregistered vehicles, setting pricing based on duration, period, or parking times, applying discounts, choosing currency symbols and validating settings with fee testing. It provides manual fee collection and centralized billing for bulk recovery of unpaid records. All transactions and operator handovers can be searched and exported, delivering clearer accountability and a smoother experience for staff and drivers alike.

Mobile Surveillance

You can take full control of your fleet and vehicles, and draw geofences on the map and set custom entry and exit rules that trigger instant alerts on the driving monitoring page, where you can monitor every trip of your vehicles in real time, including the duration, mileage and route playback, with easy access to details of each trip. Also, you can quickly search and export trip records by vehicle or region. Built-in analytics turn driving events, usage, mileage and vehicle status into clear reports with flexible export options for performance reviews, helping you improve safety, and make smarter, data-driven decisions.

Intelligent Inspection

Both your properties and equipment are effectively monitored through our user friendly platform. The settings can even be customized to meet your particular needs for item inspection. Inspection plans can also be scheduled to capture images and monitor temperatures with HD cameras and temperature imaging technology, to help you quickly identify equipment failures and safety hazards when detected. This type of intelligent inspection greatly improves upon manual methods, increasing the accuracy and efficiency of inspection, while reducing labor cost.

Synthesis

DSS Professional is friendly with other systems in your infrastructure. By developing bridges, linkage actions can be flexibly configured on DSS Professional based on the events that are triggered on other platforms. Also, the platform can send device status and events to third-party systems through BACnet, SNMP, Modbus, and SIA protocols.

Access control records can be synchronized with the databases of other platforms. For added convenience, the devices, people, and vehicle information on third-party platforms can be seamlessly synchronized with DSS Professional to aid in opening and closing doors, and performing other functions.

■ System Requirements

Server		
Item	Recommended	Minimum
CPU	2 × Intel® Xeon® Silver 4509Y 2.6 GHz 8 Core Processor	Intel® Xeon® 6325P 3.5 GHz 4 Core Processor
Memory	32 GB	16 GB
System Disk	7200 RPM Enterprise Class HDD	
Storage Disk	7200 RPM Enterprise Class HDD	
DSS Installation Directory Space	At least 500 GB (independent disk installation)	
Ethernet Port	6 Ports@1000 Mbps	2 Ports@1000 Mbps
Operating System	Microsoft® Windows 10 20H2 Pro (64-bit) Microsoft® Windows 11 21H2 Pro (64-bit) Microsoft® Windows 11 24H2 Pro (64-bit) Microsoft® Windows Server 2019 Standard (64-bit) Microsoft® Windows Server 2022 Standard (64-bit) Microsoft® Windows Server 2025 Standard (64-bit) VMware® ESXi™ 7.x Microsoft® Hyper-V with Windows Server 2019	

- We recommend that you install an operating system on a physical server and directly deploy the DSS platform on the server to achieve optimal and reliable performance. If you have to deploy the DSS platform on a virtual server, please see the deployment manual for more instructions.
- The platform supports using a maximum of 2 network cards at the same time. You can either use 1 network card for accessing devices on a local area network, and 1 network card for services on the Internet; or use both network cards for accessing devices on a local area network, and then map one of them to the Internet.

Client		
Item	Recommended	Minimum
CPU	Intel® Core i7-11700 @2.50 GHz	Intel® Core i5-9500 @3.00 GHz
Memory	16 GB	
Storage Disk	200 GB free space for DSS Client	100 GB free space for DSS Client
Graphics Card	NVIDIA® GeForce® RTX 3060	Intel® UHD Graphics 630
Ethernet Port	1000 Mbps	
Operating System	Microsoft® Windows 10 20H2 Pro (64-bit) Microsoft® Windows 11 21H2 Pro (64-bit) Microsoft® Windows 11 24H2 Pro (64-bit) Microsoft® Windows Server 2019 Standard (64-bit) Microsoft® Windows Server 2022 Standard (64-bit) Microsoft® Windows Server 2025 Standard (64-bit) VMware® ESXi™ 7.x Microsoft® Hyper-V with Windows Server 2019	
Languages	English (United States), Italian, Russian, French, German, Polish, Hungarian, Finnish, Danish, Czech, Slovak, Bulgarian, Spanish (Europe), Korean, Arabic, Ukrainian, Turkish, Hebrew, Thai, Vietnamese, Japanese, Brazilian Portuguese, Macedonian, Chinese (Traditional), Chinese (Simplified), Spanish (Latin America), Romanian, Malay, Indonesian	

Server Specification

The following specifications are obtained in servers with recommended system requirements.

Parameter		Single Server	Multiple Servers
Sub Servers per System	Sub Servers	-	10 servers
Total Devices	Devices ^①	2,000 devices	20,000 devices
	Auto-registered Devices	1,000 devices	10,000 devices
Devices and Channels	Video Devices and Channels ^②	1,000 devices; 2,000 channels	10,000 devices; 20,000 channels
	P2P Devices	32 devices	
	Devices Added by ONVIF Protocol	1,000 devices; 2,000 channels	10,000 devices; 20,000 channels
	Devices Added by Hikvision Protocol	500 devices; 2,000 channels	5,000 devices; 20,000 channels
	Devices Accessed via RTSP	1,000 devices; 2,000 channels	10,000 devices; 20,000 channels
	MPT Devices	100 devices; 100 channels	300 devices; 300 channels
	EEC Devices	32 devices	
	MDVR/MNVR	100 devices; 800 channels	1,000 devices; 8,000 channels
	Face Recognition Channels	500 channels	5,000 channels
	ANPR Channels	500 channels (128 channels for entrance)	5,000 channels (128 channels for entrance)
	Video Metadata Channels	500 channels	5,000 channels
	Speed Measurement Devices	500 devices; 1,000 channels	5,000 devices; 10,000 channels
Intelligent Devices	IVS Devices	500 devices; 1,000 channels	5,000 devices; 10,000 channels
Intelligent Analysis	People Counting Channels	100 channels	300 channels
	Heat Map Channels	100 channels	300 channels
Access Control Devices	Access Control Devices and Lift Control Devices	500 devices; 1,000 channels	1,500 devices; 3,000 channels
	Total Access Control Devices	500 devices; 1,000 doors	1,500 devices; 3,000 doors
	Access Control Devices on the DSS Platform	500 devices; 1,000 doors	1,500 devices; 3,000 doors
	Access Control Devices from Third-party Systems	500 devices; 1,000 doors	1,500 devices; 3,000 doors
	Lift Control Devices	500 devices; 1,000 channels	1,500 devices; 3,000 channels
	Video Intercom Devices	2,000 devices	
	Visitor Terminals	32 devices	
Alarm Devices	Alarm Controllers	1,000 devices; 10,000 zones	5,000 devices; 10,000 zones
	Emergency Phone Towers	1,000 devices; 2,000 channels	10,000 devices; 20,000 channels
	EAS Alarm Channels	1,000 channels	10,000 channels
Firefighting Devices	Fire Alarm Control Panels	1,000 devices; 10,000 fire alarm sub nodes	5,000 devices; 10,000 fire alarm sub nodes
Security Screening Devices	Security Screening Machines	20 devices	200 devices
	Walk-through Metal Detectors	60 devices	600 devices

Parking Lot Devices	Parking Space Detectors	500 devices; 1,500 parking spaces	2,000 devices; 6,000 parking spaces
	Parking Space Available Displays	150 devices	600 devices
POS	POS Channels	100 channels	300 channels
Radar	Radar Devices	20 devices	
IP Speaker	IP Speakers	1,000 devices	10,000 devices
Network Device	Switches	200 devices	500 devices
Multi-site	Sites	100 sites	
	Total Devices	10,000 devices; 20,000 channels	
Media Transmission Server	Total Incoming Bandwidth	600 Mbps	6,000 Mbps
	Incoming Video Bandwidth	600 Mbps	6,000 Mbps
	Incoming Picture Bandwidth	200 Mbps	2,000 Mbps
	Total Outgoing Bandwidth	600 Mbps	6,000 Mbps
	Outgoing Video Bandwidth	600 Mbps	6,000 Mbps
	Outgoing Picture Bandwidth	200 Mbps	2,000 Mbps
	Total Storage Bandwidth	600 Mbps	6,000 Mbps
	Video Storage Bandwidth	600 Mbps	6,000 Mbps
	Picture Storage Bandwidth	200 Mbps	2,000 Mbps
	Prerecording Bandwidth for Alarm Recordings	400 Mbps	4,000 Mbps
Central Storage	Maximum Storage Capacity	Local Server and IP SAN: 400 TB Cloud Storage: 600 TB	4 PB
Event ^③	Storage of Events or Alarms without Pictures ^④	Average: 70 per second Peak: 300 per second (lasts 1 hour)	Average: 70 per second Peak: 600 per second (lasts 1 hour)
	Access Control Events	Average: 70 per second Peak: 300 per second (lasts 1 hour)	Average: 70 per second Peak: 600 per second (lasts 1 hour)
	Combined Events	Average: 20 per second Peak: 100 per second (lasts 1 hour)	
Third-party Integration	Concurrent Execution of Access Control Commands of Third-party System	16 per second	
	Concurrently Pushed Events	50 per second	

① The maximum number of devices that the platform supports, including IPC, NVR, and ITC.

② When adding video channels and video devices, such as IPC, NVR and ITC, to the platform, the maximum number of devices and channels that the platform supports.

③ These values represent the maximum number of events that can be triggered at the same time. The numbers are measured based on the peak concurrency tests that were carried out 3 times a day. Each test lasted 20 minutes, with 30% of the peak concurrency being applied to the remaining day.

④ For events with snapshots, you must take into account the ability for disks and servers to concurrently write images at the same time.

■ Performance Specification

The parameters below perform consistently whether running on a single server or across multiple servers.

Organization, Role and User	
Organizations	10 levels; 999 organizations in total
Roles (User Permission)	500
Users	2,500
Online Users (PC, Agile App, and Responder App)	200
Roles per User	32
User Groups	100
Users per User Group	500
DSS OnePass Users	500 online users and 5,000 total users

Recording Plan	
General Recording Plans	3,000
Motion Detection Recording Plans	3,000
Video Retrieval Plans	3,000
File Retrieval Plans	3,000

Live View and Playback	
Total Public View Folders	999
Total Public Views	1,000
Total Private View Folders	999 per user
Total Private Views	1,000 per user
Favorites Level	10
Total Favorites	999 per user
Device Channels for Total Favorites	2,000 per user
Tags	10,000 per user
Locked Videos	10,000 per user
Linked Tracking Channels per Channel	8
Simultaneous Video Downloads per Client	5
Tours per User	20

Video Wall	
Video Walls	32
Public Video Wall Tasks	128
Private Video Wall Tasks per User	128

Public Video Wall Tour Tasks	128
Private Video Wall Tour Tasks per User	128
Touring Videos per Video Wall Window	512

Event	
Event Sources for Event Rules	3,000 event sources
Combined Events Rules	100
Combined Events	1,000
Generic Event Rules	500

DeepXplore	
Channels Searched at a Time	200
Video Analysis Tasks (Local Tasks + Recording Tasks)	3,000
Scheduling Analysis Tasks	200

Map	
Hierarchies	8
Size of Offline GIS Map Package	1 GB
Maximum Size of Raster Map	50 MB
Raster Map Resolution	8,100 × 8,100
Raster Maps	256
Resources on GIS Map	Up to 300 (after merging) Up to 20,000 (before merging)
Resources per Raster Map	Up to 300 (after merging) Up to 1,000 (before merging)
Static Visual Range	1,000

Group Talk	
Groups	200
Users per Group	200
Concurrent Calls	200
Users Online at the Same Time	200

Person and Vehicle Management	
Person and Vehicle Groups	999
Group Levels	10
Total Persons	300,000

Persons on the DSS Platform	300,000
Persons from Third-party Systems	30,000
Person Groups that a Person can Belong to	20
Cards	600,000
Faces	300,000
Fingerprints	600,000
Palm Veins	600,000
Vehicles	50,000

Arming Lists^①

Total Faces	300,000
Total Face Arming Groups	50
Face Comparison Databases (General Arming Database)	50
Face Comparison Databases (Mobile Arming Database)	50
Faces per General Face Comparison Database	50,000
Faces per Mobile Face Comparison Database	10,000
People in Total Face Comparison Groups (Mobile and General Arming Databases)	300,000
Total Vehicle Arming Groups (Mobile and General Arming Databases)	50
Total Vehicle Arming Groups (General Arming Database)	50
Total Vehicle Arming Groups (Mobile Arming Database)	50
Vehicles per General Vehicle Arming Group	50,000
Vehicles per Mobile Vehicle Arming Group	10,000
Vehicles in Total Vehicle Arming Groups	50,000
Total Text-Defined Alarms	10,000

① A face can belong to multiple face databases. All the devices together cannot contain more than 10 million faces when the number of faces in the arming lists are multiplied by the number of devices. For example, if a face arming list with 200,000 faces is sent to 40 devices, you can only send another face arming list with 100,000 faces to 20 devices. Or, you can send a list with 50,000 faces to 20 devices and another list with 100,000 faces to 10 devices.

Access Control

Zones	999
Zone Levels	10
Access Rules (Doors and Lifts)	500
Door Access Rules	500
Lift Access Rules	300
Persons for Access Rules (Doors and Lifts)	100,000
Persons for Door Access Rules	100,000 (1 password, 2 face images, 3 fingerprints, 2 palm veins, 1 Bluetooth card, and 5 cards for each person)
Persons for Lift Access Rules	100,000
Persons per Rule	1,000
Person Groups per Rule	100

Global Anti-passback Rules	16
Anti-passback Groups per Global Anti-passback Rule	2–4
Card Readers per Anti-passback Group for Global Anti-passback Rule (by Route)	64
Card Readers per Anti-passback Group for Global Anti-passback Rule (by Area)	64
Global Interlock Rules	16
Door Access Points per Group for the Rule of Global Interlock within Groups	2–4
Interlock Groups for the Rule of Global Interlock between Groups	2
Doors per Interlock Group for the Rule of Global Interlock between Groups	1–4
Total Public Passwords	1,500
Public Passwords per Device	500
Scheduled Verification Plans	64

Video Intercom

Call Groups (Custom)	100
Rooms (Custom) per Call groups	5,000
Rooms (Manually Added)	5,000
Persons per Room	20
OnePass Accounts per Room	20

Visitor

Appointments in Progress	50,000
Visitor Permission Groups	50

Attendance

Total Attendance Points	1,000
Device Attendance Points	1,000
App Attendance Points	200
Break Periods	100
Attendance Periods	200
Attendance Shifts	200
Holiday Plans	500
Attendance Calendars	50
Overtime Rules	50
Regular Schedules	500
Temporary Schedules	5,000,000
Scheduled Report Sending Rules	32

Intelligent Analysis

People Counting Groups	30
People Counting Rules per Group	20
Channels for Extracting People Counting Data at a Time	100
Metadata Statistics Channels Searched at a Time	200
Crowd Distribution Statistics Groups	30
Rules per Crowd Distribution Statistics Group	20
Channels for Extracting Crowd Distribution Data at a Time	100
Vehicle Density Statistics Groups	30
Rules per Vehicle Density Distribution Statistics Group	20
Channels for Extracting Vehicle Density Data at a Time	100
Hydrological Monitoring Points	100

Parking Lot

Parking Lot Organization Level	10
Total Parking Lot Organizations	999
Vehicles	50,000
Vehicle Groups	512
Vehicle Groups per Parking Lot	50
Main Parking Lots	16
Sub Parking Lots per Main Parking Lot	16
Total Entrance/Exit Points	128
Total Entrances and Exits	128
Entrances	128
Exits	128
Parking Space Categories (Unclassified Excluded)	5
Parking Spaces per Category (Unclassified Excluded)	1,000
Total Reserved Parking Spaces	10,000
Total Reserved Parking Space Groups	3,000
Reserved Parking Space Groups per Parking Lot	3,000
Parking Spaces per Reserved Parking Space Group	1,000
License Plates per Reserved Parking Space Group	1,000
Parking Space Detectors per Parking Lot	500
Parking Spaces per Parking Lot	1,500
Parking Space Available Displays per Parking Lot	30
Rules Displayed per Parking Space Available Display	6
Total Layers	128

Layers per Parking Lot	16
Image Size per Layer	15 MB
Resolution per layer	8,100 x 8,100
Resources per Layer (parking spaces not included)	600
Parking Spaces per Layer	1,000
Vehicle Search Rules	32
Vehicle Search Point Links per Vehicle Search Rule	32
Parking Overtime Rules	128
Time Periods per Day for Each Overtime Parking Rule	6
Charging Rules	500
Rules for Sending Scheduled Reports	32

Mobile Surveillance

Vehicle Groups	999
Vehicle Group Organization Levels	10
Vehicles	5,000
Geofences	100
Coordinate Points per Geofence	128
Linked Vehicles per Geofence	5,000
Vehicles Monitored and Displayed per Client	1,000
Favorite Vehicles per User	200

Maintenance Center

Alert Rules	3,000
SNMP Protocol Manufacturers	5

AR

Tag Templates	50
Tags per AR Channel	50
Live Video Channels Bound to a Single Tag	5
Recorded Video Channels Bound to a Single Tag	5
Locally Uploaded Images per Tag	5
Linked Channels per Tag	16

Quick Commands

Quick Commands per User	20
Commands per Quick Command	20

IP Speaker

Broadcasting Channels	256
Customized IP Speaker Groups	20

Notification Center

Messages	1,000
----------	-------

Synthesis

Event Synchronization Projects	5
Incoming Triggered Event Types per Event Synchronization Project	300
System Integration Projects	5
Event Types per System Integration Project	300
Total Trigger Out Event Sources	3,000
SNMP Event Sources	3,000
Total BACnet Event Sources (Sum of Event Sources for Each Object)	3,000
Total BACnet Objects	3,000
Event Sources per BACnet Object	3,000
Total Modbus Event Sources	3,000

Retail (plug-in)

Persons	50,000
Total Areas	100
Total Stores	500
Floors Supported by a Single Store	B2–F8 (10 floors)
People Counting Regions Supported by All Stores	1,000
People Counting Regions Supported by a Single Store	10
Rules of Sending Scheduled Reports	32

Intelligent Inspection (plug-in)

Inspection Organizations	999
Levels of Inspection Organizations	10
Templates of Inspection Object Type	1,000
Inspection Objects	10,000
Inspection Points	10,000
Inspection Points per Inspection Object	100
Inspection Objects per Organization	1,000
Inspection Plans	1,000

Inspection Plans per Inspection Organization	1,000
Inspection Objects per Inspection Plan	100
Inspection Points per Inspection Plan	100
Execution Time Points per Inspection Plan	24

Education (plug-in)

Total Attendance Groups	1,000
People Supported by All Attendance Groups	50,000
People Supported by a Single Attendance Group	2,000
Total Classrooms	1,000
Face Recognition Channels Linked to a Single Classroom	5
Total Courses	5,000
Total Course Templates	50
People can be Selected per Class Scheduling	2,000
People Already Scheduled with Classes per Classroom	10,000
People Having Classes at the Same Time (Single Server)	4,000
People Having Classes at the Same Time (Multi-Servers)	40,000
Total Campus Attendance Points	64
Total Campus Attendance Rules	50

Data Storage

Total Database Records	100,000,000
Event Records	20,000,000
Face Recognition Records	20,000,000
ANPR Records	20,000,000
Metadata Records	20,000,000
Access Records	20,000,000
Analysis Records for People Enter and Exit	5,000,000
Video Intercom Records	20,000,000
Group Talk Records	20,000,000
Visitor Records	20,000,000
Attendance Records	20,000,000
Attendance Daily Reports	20,000,000
Request Records	5,000,000
Historical Count Records	20,000,000
In Area Statistical Records	20,000,000

Heat Map Records	5,000,000
Hourly/Daily/Monthly Face Statistics	20,000,000
Hourly/Daily/Monthly Human Body Statistics	20,000,000
Hourly/Daily/Monthly Motor Vehicle Statistics	20,000,000
Hourly/Daily/Monthly Non-motor Vehicle Statistics	20,000,000
Vehicle Enter Records	20,000,000
Vehicle Exit Records	20,000,000
Parking Records	20,000,000
Vehicle Forced Exit Records	20,000,000
Vehicle Parking Duration Records	20,000,000
Parking Duration Records of Parking Space	20,000,000
Parking Fee Records	20,000,000
Handover Records	5,000,000
POS Records	20,000,000
POS Event Records	20,000,000
Vehicle Trip Records	20,000,000
Vehicle Event Records	20,000,000
Hourly Vehicle Trips	20,000,000
Hourly Vehicle Events	20,000,000
Maintenance Alert Records	20,000,000
Maintenance Fault Records	5,000,000
Mobile Device Records	20,000,000
Water Level Records	20,000,000
Operator Logs	20,000,000
Plug-in Logs	20,000,000
Service Logs	20,000,000

Data Storage-Independent Data Deployment

Event Records	30,000,000
Face Recognition Records	30,000,000
ANPR Records	30,000,000
Video Metadata Records	30,000,000

Data Storage-Retail Plug-in

Accurate People Flow	5,000,000
General People Flow	5,000,000
Queue Analysis	5,000,000
People Flow Analysis in Region	5,000,000
Analysis of Heat in Region	5,000,000
General Customer Portrait	5,000,000
Accurate Customer Portrait	5,000,000

Data Storage-Intelligent Inspection Plug-in

Inspection Records	20,000,000
Inspection Point Records	20,000,000

Data Storage-Education Plug-in

Class Attendance Records	20,000,000
School Attendance Records	20,000,000

■ DSS Mobile Client Main Functions

DSS Agile 8

◆ ***Live View***

Even when you are away from your computer, you can keep your premises secure with DSS Agile. You can view live videos from up to 16 channels simultaneously and choose among 3 stream types to suit your mobile network conditions. PTZ control lets you pan, tilt, and zoom to cover nearly every angle. When anything of interest occurs, you can take snapshots or recordings as evidence that stores on your phone, or send a voice message to deter unwanted activities.

◆ ***Playback***

In DSS Agile, videos stored on devices or the server can be played back at up to 8X speed or slowed down to 1/8X. You can also use manual recording to record important footage and save it directly to your phone.

◆ ***Visitor Management***

You can create visitor passes and grant access permissions with ease, while effortlessly tracking each visitor's status, from initial visit details through end of the visit. Automatic visit and leave can be set for unmatched convenience.

◆ ***Access Control***

With DSS Agile, you can remotely monitor and operate all access control devices, from remotely unlocking a door for someone with verified credentials, to setting a door to remain locked to prevent any entry.

◆ ***Target Tracking***

When suspicious activity occurs, DSS Agile lets you quickly locate persons of interest by searching face recognition records over a specified time range, uploading a face image to find matches, or searching captured records of people, non-motor vehicles, and motor vehicles by attributes.

◆ ***Event***

You can receive and manage a wide range of alarms, and subscribe to alarm notifications, so you will still get notified even when DSS Agile is not running.

◆ ***Video Intercom***

You can make and receive calls with main stations, indoor monitors and door stations. After subscribing to offline calls, you will still receive calls even when the app is not running. Also, a complete record of incoming and outgoing calls ensure you never miss important messages.

◆ ***Alarm Controller***

You can remotely operate alarm controllers through DSS Agile to protect areas, such as arming and disarming areas, bypassing and isolating zones, viewing real-time area and zone status, and filtering displays to show only the information you care about.

◆ File Management

You can manage snapshots and videos stored on devices or the server, including deleting them, exporting them to local albums, and more. Video downloads can be paused automatically or manually, saving you time and bandwidth from redownloading them when the download is interrupted.

DSS OnePass

◆ Visitor Management

You can easily manage visitors by registering their details and generating visitor passes with the required access permissions. When they arrive, they can use the passes to gain access to where you are, and DSS OnePass logs when visitors begin and end their visits.

◆ Intercom Monitoring

When guests arrive, they can call from the door station, or be verified through live video. Once you confirm their identity, you can remotely open the door in DSS OnePass. If you spot any unwanted activities, you can tap to call the management center to report an emergency.

◆ Door Opening

You can open the door using Bluetooth, by scanning the QR code at the door station, or remotely through the app.

◆ Attendance

You can check in and out directly in the app, and view your attendance records there.

◆ Message Center

The unlock records and alarm messages on the indoor monitor are fully accessible in DSS OnePass, allowing you to identify potential threats and keep your residence secure.

Responder

By using Responder (running on MPT230), people can initiate group talk on their MPT devices. Group members can share real-time text and audio messages, local images and videos, and live location updates with their group. This turns solo response into coordinated, efficient teamwork.

■ DSS Mobile Client Requirements

The parameters below are applicable to DSS Agile 8 and DSS OnePass.

	iOS	Android
Model	iPhone 5S or later	-
RAM	-	2 GB or more
Resolution	-	1280 × 720 or higher
Operating System	iOS 12.0 or later	Android 8.0 or later
Language	Arabic, Bulgarian, Czech, English (United States), French, Japanese, Korean, Spanish (Latin America), Polish, Portuguese, Russian, Chinese (Simplified), Spanish (Europe), Chinese (Traditional), Turkish, Ukrainian, Vietnamese, Malay, Romanian, Indonesian, Italian, Slovak	